YISHANGXING 亿尚行

新 风 尚 2.0

XFS2.0







MILLET
小米

小米在粘土、砂土均可种植，要达到高产、稳产、优质效果，则需良好的土壤条件以满足其对水、肥、气、热的要求。在职场上也是一样的，日复一日的工作，要更加进步和做好本职工作的话，除了自身拥有的技能之外，还需要更进一步充实自身，这样才能在时代的洪流中逆流而上。

Millet can be planted in clay or sandy soil. To achieve high yield, stable yield, and high-quality effects, good soil conditions are required to meet its requirements for water, fertilizer, gas, and heat. The same is true in the workplace. In order to improve and do a good job at work day after day, in addition to the skills you have, you also need to further enrich yourself so that you can go against the current of the times.

Functional management space
职能管理空间 ■

XED-01（班台 Executive Desk)
G-XFC-03(文件柜 FileCabinet）

MFC 板材

EZ-W03
垠域橡

EZ-W08
雪花白

EZ-W12
城墙灰

Steel frame color 钢脚颜色

S-3 砂白



副柜 Auxiliary cabinet

After the door is opened, the host can be placed, and the door is equipped with buffer hinges to reduce the impact of closing the door.

掩门打开后可放置主机，掩门配缓冲门铰，减缓关门时的冲击。

升降插座 Lifting socket

Concealed pneumatic lifting socket, pressing the surface to realize lifting.With wireless charging function. Intelligent technology,clean and tidy.

隐藏式气压升降插座，按压表面，实现升降，带无线充电功能，科技智能，干净整洁

散热风扇 Cooling fan

Equipped with cooling fan system and USB power connection, it can better heat the fan for the host machine, so that the performance of the host machine is better.

自带散热风扇系统，USB 接电，能更好地给主机扇热，让主机性能更佳。





雷厉风行

VIGOROUS AND RESOLUTE

XED-02（班台 Executive Desk）
G-XFC-04（文件柜 File Cabinet）

MFC 板材

EZ-W06 印山胡桃　EZ-W08 雪花白　EZ-W12 城墙灰

Steel frame color 钢脚颜色

S-3 砂白　S-4 哑光黑　S-6 灰白



MFC 板材

EZ-W04
灰影橡木

EZ-W07
韵石灰

Steel frame color 钢脚颜色

S-4
哑光黑





Lifting socket, wireless charging
Snake-shaped conduit
With adjustable feet
With code lock

升降插座，无线充电
蛇形走线管
带可调节脚
带密码锁

XED-03（班台 Executive Desk)
A-XFC-06(文件柜 File Cabinet)

MFC 板材

EZ-W03
垠域橡

EZ-W13
欧洲枫木

EZ-W08
雪花白

Steel frame color 钢脚颜色

S-3
砂白

S-4
哑光黑



茶几
TEA TABLE



XTT-01



XTT-02

MFC 板材

EZ-W07
韵石灰

EZ-W03
垠域橡

Steel frame color 钢脚颜色

S-3 砂白

S-4 哑光黑

Fabric screen 屏风

SF-1302



A-XST-S-03（职员桌 Staff table)
A-XFC-03(文件柜 File Cabinet）

A

A-XST-D-02

办公场所、员工和社区间关系的完全相互依赖将增加更多的成功标准，进而影响“成功”的 定义。科技的兴趣点将进一步侧重于人们如何工作以及为各种流程提供支持的工作环境。

The complete interdependence between office space, employees, and the community will add more success criteria, which will affect the definition of “success”. The interest of technology will further focus on how people work and the work environment that supports various processes.



Open Staff space

B

B-XST-S-02（职员桌 Staff table）
AG-SKG-01(文件柜 File Cabinet）

MFC 板材

EZ-W13
欧洲枫木

EZ-W10
极光蓝

Steel frame color 钢脚颜色

S-10
砂纹深蓝

S-3
砂白

Fabric screen 屏风

SF-80

B-XST-D-03



B-XST-S-04



Open Staff space

MFC 板材

EZ-W08
雪花白

Steel frame color 钢脚颜色

S-3
砂白

Fabric screen 屏风

SF-1123

C-XST-十-02

C

The Internet of things and smarter building systems will spawn user-centric office space solutions. Having a highly adaptable environment and seamless mobile office product support allows teams and individuals to have a larger custom space.

物联网和更智能的建筑系统会孕育出以用户为中心的办公空间解决方案。拥有高度适应能力的环境和无缝移动的办公产品支持能够让团队和个人拥有更大的自定义空间。



C-XST-T-04

MFC 板材

EZ-W08
雪花白

Steel frame color 钢脚颜色

S-3
砂白

Fabric screen 屏风

SF-1214





More innovative
More convenient

The Internet of things and smarter building systems will spawn user-centric office space solutions. Having a highly adaptable environment and seamless mobile office product support allows teams and individuals to have a larger custom space.

随着新技术的成熟，借助它们打造的空间将促进情感丰富的联系和全方位参与。这种聚焦用户体验的做法将催生出具有独特文化的多功能工作环境。现在，请将更多科技元素融入到它们的材料、制造和产品中来吧。

Open Staff space

开放职员空间 ■

D

MFC 板材

EZ-W08
雪花白

EZ-W03
垠域橡

Steel frame color 钢脚颜色

S-3
砂白

Fabric screen 屏风

SF-80

D-XST-02



■ 开放职员空间

Open Staff space

D-XST-05



MFC 板材

EZ-W07
韵石灰

EZ-W04
灰影橡木

Steel frame color 钢脚颜色

S-4
哑光黑

Fabric screen 屏风

SF-1302

D-XST-04





Steel
Frame
Style
钢脚款式

8


DESKTOP AND SCREEN OPTIONS

8 款 桌 屏 互 选




















5

ROUTING SOLUTIONS

种走线解决方案

配合走线槽实现串联式走线系统

完全满足单人与面对面及多人工作位使用

充分满足各种办公用电需求

Five cabling solutions are installed under the desk and cooperate with the cabling trough to achieve a series cabling system, which fully meets the use of single-person, face-to-face and multi-person workstations, and fully meets various office power needs.



1 Standard wiring (Z3)
标准型 (Z3)



2 Economical routing (Z1)
经济型 (Z1)



3 Practical wiring (Z2)
实用型 (Z2)



4 Large capacity wiring (Z4)
大容量型 (Z4)

FIVE OPTIONS



5 High-end wiring (Z5)
高端集成式（Z5）



Standard wiring (Z3)
标准型 (Z3)


Aluminum alloy wire box, with trapezoidal bottom box under the table, convenient for wire collection and insertion


铝合金线盒，桌下带梯形底盒，方便收线，方便插线

TANDEM SYSTEM
串联走线（选配）

Series system: A main line is connected to male connector, female connector, adapter and office socket to form a set of office power supply series system, which solves the problem of power supply installation in multiple working positions. The connector adopts direct plug connection, no professional electrician Electricity, efficient installation, greatly improve efficiency.

串联系统：一根主线对接公头、对接母头、转接头和办公插座共同组成一套办公电源串联系统，解决多个工作位电源的安装问题，对接头采用直插连接方式，无需专业电工配电，高效安装，大大提升效率。








Little white plug-in series
Wiring system
小白插串联式
走线系统

STANDARD WIRING
标配走线



Line connection diagram
线路连接示意图

The line connects to the upper pin from the ground and connects to the male connector, female connector, and adapter to form a series system.

线路由地插出线接入上线脚，与对接公头，对接母头，转接头对接形成串联系统。





流畅的线条
SMOOTH LINES

XCT-03







MFC 板材

EZ-W03
垠域橡

Steel frame color 钢脚颜色

S-3
砂白

XCT-01



XCT-02（会议桌 Conference table)
A-XFC-04(文件柜 File Cabinet）

MFC 板材

EZ-W13 欧洲枫木

EZ-W08 雪花白

Steel frame color 钢脚颜色

S-3 砂白

S-11 砂纹浅蓝

MFC 板材

EZ-W03 垠域橡
EZ-W06 印山胡桃
EZ-W08 雪花白
EZ-W12 城墙灰
EZ-W13 欧洲枫木

Steel frame color 钢架颜色

S-3 砂白
S-4 哑光黑
S-11 砂纹浅蓝

Storage space

MFC 板材

EZ-W03 垠域橡
EZ-W04 灰影橡木
EZ-W07 韵石灰
EZ-W08 雪花白
EZ-W10 极光蓝
EZ-W13 欧洲枫木









PRODUCT MAP
产品地图


A




A-XST-D-01
1200W*600D*750H
1400W*600D*750H
1400W*700D*750H



A-XST-D-02
2400W*600D*750H
2800W*600D*750H
2800W*700D*750H




A-XST-D-03
3600W*600D*750H
4200W*600D*750H
4200W*700D*750H




A-XST-D-04
4800W*600D*750H
5600W*600D*750H
5600W*700D*750H




A-XST-S-01
1200W*1200D*750H
1400W*1200D*750H
1400W*1400D*750H



A-XST-S-02
2400W*1200D*750H
2800W*1200D*750H
2800W*1400D*750H



A-XST-S-03
3600W*1200D*750H
4200W*1200D*750H
4200W*1400D*750H




A-XST-S-04
4800W*1200D*750H
5600W*1200D*750H
5600W*1400D*750H


B




B-XST-D-01
1200W*600D*750H
1400W*600D*750H
1400W*700D*750H
1500W*700D*750H



B-XST-D-02
2400W*600D*750H
2800W*600D*750H
2800W*700D*750H
3000W*700D*750H




B-XST-D-03
3600W*600D*750H
4200W*600D*750H
4200W*700D*750H
4500W*700D*750H




B-XST-D-04
4800W*600D*750H
5600W*600D*750H
5600W*700D*750H
6000W*700D*750H




B-XST-S-01
1200W*1200D*750H
1400W*1200D*750H
1400W*1400D*750H
1500W*1400D*750H



B-XST-S-02
2400W*1200D*750H
2800W*1200D*750H
2800W*1400D*750H
3000W*1400D*750H




B-XST-S-03
3600W*1200D*750H
4200W*1200D*750H
4200W*1400D*750H
4500W*1400D*750H




B-XST-S-04
4800W*1200D*750H
5600W*1200D*750H
5600W*1400D*750H
6000W*1400D*750H


C




C-XST-T-01
2800W*1400D*750H
3000W*1500D*750H
3200W*1600D*750H



C-XST-十-02
2800W*2800D*750H
3000W*3000D*750H
3200W*3200D*750H




C-XST-工-03
2800W*2800D*750H
3000W*3000D*750H
3200W*3200D*750H




C-XST-T-04
2800W*4200D*750H
3000W*4500D*750H
3200W*4800D*750H


D




D-XST-01
1520W*3000D*1200H
1720W*3000D*1200H
1820W*3000D*1200H




D-XST-02
1520W*3000D*1200H
1720W*3000D*1200H
1820W*3000D*1200H



D-XST-03
2720W*1500D*1200H
3120W*1500D*1200H
3320W*1500D*1200H




D-XST-04
2720W*3000D*1200H
3120W*3000D*1200H
3320W*3000D*1200H




D-XST-05
3040W*3000D*1200H
3440W*3000D*1200H
3640W*3000D*1200H


班台 Executive Desk



XED-01
2000W*1800D*750H
2200W*1800D*750H
2400W*1800D*750H



XED-02
1600W*1600D*750H
1800W*1600D*750H
2000W*1600D*750H




XED-03
1500W*1600D*750H
1600W*1700D*750H
1800W*1800D*750H


会议桌 Conference table



XCT-01
1800W*1000D*750H
2000W*1000D*750H
2400W*1200D*750H




XCT-02
2800W*1200D*750H
3200W*1500D*750H
3600W*1500D*750H



XCT-03
4800W*1500D*750H
5700W*1500D*750H
6600W*1500D*750H

茶几 Tea Table



XTT-01
1200W*600D*450H



XTT-02
600W*600D*450H


文件柜 File Cabinet




AG-SKG-01
800W*420D*1200H



AG-HC-01
800W*400D*1200H



A-XFC-03
1200W*420D*1200H




A-XFC-04
2000W*426D*1210H




A-XFC-05
2400W*420D*1200H




A-XFC-06
2400W*420D*1512H




G-XFC-01
2000W*426D*2010H



G-XFC-02
4000W*426D*2010H



G-XFC-03
3000W*426D*2010H



G-XFC-04
4000W*426D*2010H

椅子 Chair



EIFFEL-B1820



FAN-B1827



MOON-B998



SOLAR-B1902-2



VIEW-B1703-1



STARRY-623

Fabric screen
布艺屏风

SF-80

SF-87-02

SF-93

SF-99

SF-99-2

SF-1101

SF-1109

SF-1110

SF-1213

SF-1123

SF-1226

SF-1302

SF-1321

SF-1214

SF-1336

G0-01

Steel frame color
钢脚颜色

S-3 砂白

S-4 哑光黑

S-6 灰白

S-7 碳灰

S-8 高光白

S-9 砂纹枣红

S-10 砂纹深蓝

S-11 砂纹浅蓝

S-15 砂纹豆绿

S-16 半光黄

MFC
板材

EZ-W01
素檐榆木
Plain and elegance elm

EZ-W02
晨湖橡
Daystart lake oak

EZ-W03
垠域橡
Boudary oak

EZ-W04
灰影橡木
Gray shadow oak

EZ-W05
大漠橡
Desert oak

EZ-W06
印山胡桃
Imprint hill walnut

EZ-W07
韵石灰
Lingering charm stone gray

EZ-W08
雪花白
Snowflake white

EZ-W09
竹山青
Bamboo cyan

EZ-W10
极光蓝
Polar lights blue

EZ-W11
流沙灰
Gray of drift sand formation

EZ-W12
城墙灰
Ancient city wall gray

EZ-W13
欧洲枫木
European Maple

EZ-W14
美洲杉木
American fir

EZ-W15
加拿大雪枫
Canadian maple

EZ-W16
白橡木
White oak

EZ-W17
雅士白石纹
Yashi white stone pattern

EZ-W18
墨玉黑石纹
Black jade and black stone pattern

YISHANGXING 亿尚行

亿尚行 YISHANGXING

专业办公家具解决方案服务商

联系人：杨总

电话：13922856708

邮箱：gzyishang@126.com

总部：清远市清城区高新区创兴大道21号佳亿创鑫科技园9栋

基地：广州市花都区花东镇金田工业园永溪路9号